

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of the Claims:**

1. (Twice Amended) A method of treating a disorder selected from depression, anxiety disorders and other affective disorders, ~~eating disorders, phobias, dysthymia, premenstrual syndrome, cognitive disorders, impulse control disorders, attention deficit hyperactivity disorder, drug abuse or any other disorder responsive to serotonin reuptake inhibitors~~ in a person in need thereof, the method comprising administering to the person a selective serotonin reuptake inhibitor selected from citalopram and escitalopram, and a compound which is a GlyT-1 inhibitor.

2. (Canceled)

3. (Twice Amended) A method for augmenting and/or providing faster onset of the therapeutic effect of a selective serotonin reuptake inhibitor in a person comprising administering a selective serotonin reuptake inhibitor selected from citalopram and escitalopram, and a compound which is a GlyT-1 inhibitor to the person.

4. (Twice Amended) The method according to claim 3 wherein the person suffers from a disorder selected from depression, anxiety disorders and other affective disorders, ~~eating disorders, phobias, dysthymia, premenstrual syndrome, cognitive disorders, impulse control disorders, attention deficit hyperactivity disorder, drug abuse or any other disorder responsive to a SRI.~~

5. (Canceled)

6. (Canceled)

7. (Twice Amended) The method of claim 1 wherein the GlyT-1 inhibitor is selected from

N-{3-[5-Cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}glycine ethyl ester;  
N-{3-[5-Cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine  
ethyl ester,

N-{3-[5-Cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}glycine,  
N-{3-[5-Cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[1-(3-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[1-(3-trifluoromethylphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[1-(3-trifluoromethylphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methyl (1-  
ethyl)glycine,

N-{3-[1-(4-methylphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylalanine,  
N-{3-[1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methyl (1-ethyl)glycine,  
N-{3-[4-chloro-1-(3-methyl-4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-  
methylglycine,

N-{3-[4-chloro-1-(4-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[5-chloro-1-(4-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylalanine,  
N-{3-[6-chloro-1-(3-methyl-4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-  
methylglycine.

N-{3-[6-chloro-1-(4-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[6-chloro-1-(4-methylphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[6-chloro-1-(4-methoxyphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-  
methylglycine,

N-{3-[5-fluoro-1-(4-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[5-fluoro-1-(4-methoxyphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-  
methylglycine,

N-{3-[5-trifluoromethyl-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-  
methylglycine,

N-{3-[5-trifluoromethyl-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-  
methylalanine,

N-{3-[5-cyano-1-(3-methyl-4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[5-cyano-1-(4-cyanophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylalanine,  
N-{3-[5-cyano-1-(4-methoxyphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[5-cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{2-[5-cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]ethyl}-N-methylglycine,  
N-{3-[5-Chloro-1-(4-chloro-phenyl)-indan-1-yl]-propyl}-N-methylglycine,  
N-{3-[5-Chloro-1-(4-chloro-phenyl)-indan-1-yl]-propyl}-N-methylalanine,  
N-{3-[3-cyclo-1-(4-methylphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-[3-(3,3-Dimethyl-1-phenyl-1,3-dihydro-benzo[c]thiophen-1-yl)-propyl]-N-methylglycine,  
N-[3-(3,3-Dimethyl-1-phenyl-1,3-dihydro-benzo[c]thiophen-1-yl)-propyl]-N-methylalanine,  
N-{3-[1-(4-Fluoro-phenyl)-3,3-dimethyl-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methylglycine,  
N-{3-[5-Bromo-1-(4-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{2-[1-(4-Chloro-phenyl)-3,3-dimethyl-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methylglycine,  
N-[3-(3-methyl-1-phenyl-1*H*-inden-1-yl)-propyl]-N-methylglycine,  
N-[3-(5-Chloro-1-thiophen-2-yl-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methylglycine,  
N-[3-(5-Chloro-1-thiophen-2-yl-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methyl (1-ethyl)-glycine,  
N-[3-(3-methyl-1-phenyl-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methylalanine,  
N-[3-(3-methyl-1-phenyl-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methyl (1-ethyl)-glycine,  
N-[3-(3,3-Dimethyl-1-phenyl-1,3-dihydro-isobenzofuran-1-yl)-ethyl]-N-methylalanine,  
N-[3-(3,3-Dimethyl-1-(4-fluoro-phenyl)-1,3-dihydro-isobenzofuran-1-yl)-ethyl]-N-methylalanine,  
N-[3-(3,3-Dimethyl-1-phenyl-1,3-dihydro-isobenzofuran-1-yl)-ethyl]-N-methyl-(1-ethyl)glycine,  
N-[3-(3,3-Dimethyl-1-(4-fluoro-phenyl)-1,3-dihydro-isobenzofuran-1-yl)-ethyl]-N-methyl-(1-ethyl)glycine,  
N-[3-(3,3-Diethyl-1-phenyl-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methylalanine,

N-[3-(3,3-Diethyl-1-(4-chloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methylalanine,  
N-[3-(3,3-Diethyl-1-(4-chloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methylglycine,  
N-[3-(1-phenyl-1,3-dihydro-benzo[c]thiophen-1-yl)-propyl]-N-methylalanine,  
N-{3-[1-(4-Chloro-phenyl)-3,3-dimethyl-indan-1-yl]-propyl}-N-methylglycine,  
N-{3-[1-(4-Chloro-phenyl)-3,3-diethyl-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methylalanine,  
N-[2-(3-methyl-1-phenyl-indan-1-yl)-ethyl]-amino}-N-methyl alanine,  
N-[3-(1-phenyl-(1*H*)-inden-1-yl)-propyl]-N-methyl-alanine,  
N-{3-[1-(4-Fluoro-phenyl)-5-(4-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[5-Chloro-1-(4-chloro-phenyl)-indan-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[5-Chloro-1-(4-chloro-phenyl)-indan-1-yl]-propyl}-N-methyl-alanine,  
N-{3-[1-(4-chloro-phenyl)-5-(4-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-methoxy-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(2-thiophenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-methoxy-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-chloro-phenyl)-5-(4-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-chloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,

N-{2-[1-(4-Chloro-phenyl)-5-(5-chloro-thiophen-2-yl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(3-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(2-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(2,5-dichloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-chloro-phenyl)-5-(3-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-chloro-phenyl)-5-(3-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine ,  
N-{3-[1-(4-Chloro-phenyl)-5-(3,4-dichloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-chloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(3-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(2-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(2,5-dichloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(3,4-dichloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-chloro-phenyl)-5-(2-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine ,  
(+/-)-{4-[2-(4-Methoxy-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-Chloro-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-*tert*-Butyl-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-Fluoro-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-*tert*-Butyl-phenylsulfanyl)-phenyl]-2-methyl-piperazin-1-yl}-acetic acid,

(+/-)-{4-[2-(4-*iso*-Propyl-phenylsulfanyl)-phenyl]-2-methyl-piperazin-1-yl}-acetic acid,  
(+/-)-2-{4-[2-(4-*tert*-Butyl-phenylsulfanyl)-phenyl]-*trans*-2,5- dimethylpiperazin-1-yl}-propionic acid,  
{4-[5-Chloro-2-(4-methoxy-phenylsulfanyl)-phenyl]-2(R)-methyl-piperazin-1-yl}-acetic acid,  
{4-[2-(4-Methoxy-phenylsulfanyl)-phenyl]-2(R),5(S)-dimethyl-piperazin-1-yl}-acetic acid,  
{4-[5-Chloro-2-(4-methoxy-phenylsulfanyl)-phenyl]-2,2-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[5-Chloro-2-(4-trifluoromethyl-phenylsulfanyl)-phenyl]-2-methyl-piperazin-1-yl}-acetic acid,  
{4-[5-Chloro-2-(3-methoxy-phenylsulfanyl)-phenyl]-2(R)-methyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-Phenyl-phenyloxy)-phenyl]-2-methyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-Methyl-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-*iso*-Propyl-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(2,4-Dimethyl-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-2-{4-[2-(4-*tert*-Butyl-phenylsulfanyl)-phenyl]-3-methylpiperazin-1-yl}-propionic acid,  
{4-[2-(4-Isopropyl-phenylsulfanyl)-phenyl]-piperazin-1-yl}-acetic acid, and  
(+/-)-2-{4-[2-(4-Methoxy-phenylsulfanyl)-phenyl]-3-methyl-piperazin-1-yl}-propionic acid,  
or a pharmaceutically acceptable acid addition salt thereof.

8. (Twice Amended) A pharmaceutical composition comprising a compound, which is a selective serotonin reuptake inhibitor selected from citalopram and escitalopram, and a compound, which is a GlyT-1 inhibitor, and optionally a pharmaceutically acceptable carrier or diluent.

9. (Canceled)

10. (Previously presented) The pharmaceutical composition of claim 8 wherein the GlyT-1 inhibitor shows inhibition below 20000 nM as IC<sub>50</sub> in the “[<sup>3</sup>H]-Glycine uptake” test.

11. (Twice Amended) The pharmaceutical composition of claim 8 wherein the GlyT-1 inhibitor is selected from

N-{3-[5-Cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}glycine ethyl ester,  
N-{3-[5-Cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine ethyl ester,

N-{3-[5-Cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}glycine,  
N-{3-[5-Cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[1-(3-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[1-(3-trifluoromethylphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[1-(3-trifluoromethylphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methyl (1-ethyl)glycine,

N-{3-[1-(4-methylphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylalanine,  
N-{3-[1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methyl (1-ethyl)glycine,  
N-{3-[4-chloro-1-(3-methyl-4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,

N-{3-[4-chloro-1-(4-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[5-chloro-1-(4-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylalanine,  
N-{3-[6-chloro-1-(3-methyl-4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,

N-{3-[6-chloro-1-(4-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[6-chloro-1-(4-methylphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[6-chloro-1-(4-methoxyphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,

N-{3-[5-fluoro-1-(4-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[5-fluoro-1-(4-methoxyphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,

N-{3-[5-trifluoromethyl-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,

N-{3-[5-trifluoromethyl-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylalanine,  
N-{3-[5-cyano-1-(3-methyl-4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[5-cyano-1-(4-cyanophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylalanine,  
N-{3-[5-cyano-1-(4-methoxyphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{3-[5-cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{2-[5-cyano-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-1-yl]ethyl}-N-methylglycine,  
N-{3-[5-Chloro-1-(4-chloro-phenyl)-indan-1-yl]-propyl}-N-methylglycine,  
N-{3-[5-Chloro-1-(4-chloro-phenyl)-indan-1-yl]-propyl}-N-methylalanine,  
N-{3-[3-cyclo-1-(4-methylphenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-[3-(3,3-Dimethyl-1-phenyl-1,3-dihydro-benzo[c]thiophen-1-yl)-propyl]-N-methylglycine,  
N-[3-(3,3-Dimethyl-1-phenyl-1,3-dihydro-benzo[c]thiophen-1-yl)-propyl]-N-methylalanine,  
N-{3-[1-(4-Fluoro-phenyl)-3,3-dimethyl-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methylglycine,  
N-{3-[5-Bromo-1-(4-chlorophenyl)-1,3-dihydroisobenzofuran-1-yl]-1-propyl}-N-methylglycine,  
N-{2-[1-(4-Chloro-phenyl)-3,3-dimethyl-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methylglycine,  
N-[3-(3-methyl-1-phenyl-1*H*-inden-1-yl)-propyl]-N-methylglycine,  
N-[3-(5-Chloro-1-thiophen-2-yl-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methylglycine,  
N-[3-(5-Chloro-1-thiophen-2-yl-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methyl (1-ethyl)-glycine,  
N-[3-(3-methyl-1-phenyl-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methylalanine,  
N-[3-(3-methyl-1-phenyl-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methyl (1-ethyl)-glycine,  
N-[3-(3,3-Dimethyl-1-phenyl-1,3-dihydro-isobenzofuran-1-yl)-ethyl]-N-methylalanine,  
N-[3-(3,3-Dimethyl-1-(4-fluoro-phenyl)-1,3-dihydro-isobenzofuran-1-yl)-ethyl]-N-methylalanine,  
N-[3-(3,3-Dimethyl-1-phenyl-1,3-dihydro-isobenzofuran-1-yl)-ethyl]-N-methyl-(1-ethyl)glycine,  
N-[3-(3,3-Dimethyl-1-(4-fluoro-phenyl)-1,3-dihydro-isobenzofuran-1-yl)-ethyl]-N-methyl-(1-ethyl)glycine,



N-[3-(3,3-Diethyl-1-phenyl-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methylalanine,  
N-[3-(3,3-Diethyl-1-(4-chloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methylalanine,  
N-[3-(3,3-Diethyl-1-(4-chloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl)-propyl]-N-methylglycine,  
N-[3-(1-phenyl-1,3-dihydro-benzo[c]thiophen-1-yl)-propyl]-N-methylalanine,  
N-{3-[1-(4-Chloro-phenyl)-3,3-dimethyl-indan-1-yl]-propyl}-N-methylglycine,  
N-{3-[1-(4-Chloro-phenyl)-3,3-diethyl-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methylalanine,  
N-[2-(3-methyl-1-phenyl-indan-1-yl)-ethyl]-amino}-N-methyl alanine,  
N-[3-(1-phenyl-(1*H*)-inden-1-yl)-propyl]-N-methyl-alanine,  
N-{3-[1-(4-Fluoro-phenyl)-5-(4-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[5-Chloro-1-(4-chloro-phenyl)-indan-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[5-Chloro-1-(4-chloro-phenyl)-indan-1-yl]-propyl}-N-methyl-alanine,  
N-{3-[1-(4-chloro-phenyl)-5-(4-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-methoxy-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(2-thiophenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-methoxy-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-chloro-phenyl)-5-(4-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-chloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,

N-{2-[1-(4-Chloro-phenyl)-5-(5-chloro-thiophen-2-yl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(3-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(2-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(2,5-dichloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-chloro-phenyl)-5-(3-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-chloro-phenyl)-5-(3-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine ,  
N-{3-[1-(4-Chloro-phenyl)-5-(3,4-dichloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-ethyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(4-chloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(3-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(2-methyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(2,5-dichloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-Chloro-phenyl)-5-(3,4-dichloro-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine,  
N-{3-[1-(4-chloro-phenyl)-5-(2-trifluoromethyl-phenyl)-1,3-dihydro-isobenzofuran-1-yl]-propyl}-N-methyl-glycine ,  
(+/-)-{4-[2-(4-Methoxy-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-Chloro-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-*tert*-Butyl-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-Fluoro-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-*tert*-Butyl-phenylsulfanyl)-phenyl]-2-methyl-piperazin-1-yl}-acetic acid,

(+/-)-{4-[2-(4-*iso*-Propyl-phenylsulfanyl)-phenyl]-2-methyl-piperazin-1-yl}-acetic acid,  
(+/-)-2-{4-[2-(4-*tert*-Butyl-phenylsulfanyl)-phenyl]-*trans*-2,5- dimethylpiperazin-1-yl}-propionic acid,  
{4-[5-Chloro-2-(4-methoxy-phenylsulfanyl)-phenyl]-2(R)-methyl-piperazin-1-yl}-acetic acid,  
{4-[2-(4-Methoxy-phenylsulfanyl)-phenyl]-2(R),5(S)-dimethyl-piperazin-1-yl}-acetic acid,  
{4-[5-Chloro-2-(4-methoxy-phenylsulfanyl)-phenyl]-2,2-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[5-Chloro-2-(4-trifluoromethyl-phenylsulfanyl)-phenyl]-2-methyl-piperazin-1-yl}-acetic acid,  
{4-[5-Chloro-2-(3-methoxy-phenylsulfanyl)-phenyl]-2(R)-methyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-Phenyl-phenyloxy)-phenyl]-2-methyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-Methyl-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(4-*iso*-Propyl-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-{4-[2-(2,4-Dimethyl-phenylsulfanyl)-phenyl]-*trans*-2,5-dimethyl-piperazin-1-yl}-acetic acid,  
(+/-)-2-{4-[2-(4-*tert*-Butyl-phenylsulfanyl)-phenyl]-3-methylpiperazin-1-yl}-propionic acid,  
{4-[2-(4-Isopropyl-phenylsulfanyl)-phenyl]-piperazin-1-yl}-acetic acid, and  
(+/-)-2-{4-[2-(4-Methoxy-phenylsulfanyl)-phenyl]-3-methyl-piperazin-1-yl}-propionic acid,  
or a pharmaceutically acceptable acid addition salt thereof.

12. (Canceled)

13. (Previously presented) The pharmaceutical composition according to claim 8, which is adapted for simultaneous administration of the active ingredients.

14. (Original) The pharmaceutical composition according to claim 13 wherein the active ingredients are contained in the same unit dosage form.

15. (Previously presented) The pharmaceutical composition according to claim 8 which is adapted for sequential administration of the active ingredients.

16. (Previously presented) The pharmaceutical composition according to claim 8 wherein the active ingredients are contained in discrete dosage forms.

17. (Previously presented) A kit comprising a compound, which is a serotonin reuptake inhibitor, and a compound, which is a GlyT-1 inhibitor, and optionally a pharmaceutically acceptable carrier or diluent.

18. (Canceled)

19. (Previously presented) The pharmaceutical composition of claim 10, wherein the GlyT-1 inhibitor shows inhibition below 10000 nM as  $IC_{50}$  in the "[ $^3H$ ]-Glycine uptake" test.

20. (Previously presented) The pharmaceutical composition according to claim 15, wherein the active ingredients are contained in discrete dosage forms.